



**State of California  
Secretary of State**

**Calvoter and Calvalidator  
Data Standards**

May 17, 2007

## Table of Contents

<b>I. Calvoter File Types and Standards .....</b>	<b>1</b>
A. Registrant Transaction File Conventions .....	1
File Structure .....	1
Naming Convention .....	1
Sending Requirements .....	1
Load (L) and Update (U) Files .....	1
Voting History (H) Files .....	2
Verification Mailing Request (M) Files .....	2
B. Precinct/District Mapping File Conventions .....	2
File Structure .....	2
Naming Convention .....	2
Sending Requirements .....	2
C. Deficiency Files .....	2
File Structure .....	3
Naming Convention .....	3
Registrant Transaction Deficiency File .....	3
Precinct/District Mapping Deficiency File .....	3
D. Report of Registration File Record Conventions .....	3
File Structure .....	3
Naming Convention .....	3
Sending Requirements .....	3
<b>II. Calvoter File Formats .....</b>	<b>4</b>
A. Registrant Transaction Files .....	4
File Format .....	4
Types of Registrant Transaction Records .....	10
Records in Registration UPDATE files (type 'U') .....	10
Records in Voting HISTORY files (type 'H') .....	11
Records in Registrant or Vote History LOAD files (type 'L') .....	11
Records in verification MAILING request files (type 'M') .....	11
Field Requirements by Transaction Type .....	12
Description of Field Validations .....	15
Tables of Codes for Fields in Registrant Transaction Files .....	17
B. Precinct/District Mapping Files .....	29
File Format .....	29
Description of Field Validations .....	29
Tables of Codes for Fields in Precinct/District Mapping Files .....	29
C. Deficiency Files .....	32
File Format : Registrant Transaction Deficiency .....	32
File Format : Precinct/District Mapping Deficiency File .....	32
D. Report of Registration Files .....	33
File Format .....	33
Table of Codes for Fields in Report of Registration Files .....	33

<b>III. Calvalidator Batch Files .....</b>	<b>34</b>
A. Calvalidator Batch File Conventions.....	34
File Structure .....	34
Naming Convention .....	34
Calvalidator Batch File from County to SOS .....	34
Calvalidator Batch File from SOS to County .....	34
Sending Requirements .....	34
On each County Workstation .....	34
B. Calvalidator Batch File Formats.....	35
File Format : from Counties to SOS.....	35
File Format : from SOS to Counties.....	36
Table of Codes for Fields in Calvalidator Batch Files .....	37

# **I. Calvoter File Types and Standards**

## ***A. Registrant Transaction File Conventions***

### **File Structure**

All these files are tab-delimited text files. As each field is a text field, no special characters should be used to indicate text data. Each record is 95 fields in length and an end of record is indicated by a carriage return [CR] *and* line feed [LF]. Each record must include all fields: i.e., trailing null fields cannot be omitted from a record. There is no header record to the file. After the last record, the file must end with the literal characters: 'EOF' (for *end of file*) as the last line of the file.

### **Naming Convention**

All files must adhere to the following naming convention:

**CCNNNNNNA.txt**

Where 'CC' is the designated county number (with leading zeroes); 'NNNNNN' is a six digit sequential number (with leading zeroes), incremented for each successive file sent to Calvoter; and 'A' is an uppercase alpha character to indicate the type of file, according to the following table:

L	LOAD file (copy of all registered voters in county)
U	UPDATE file (transactions for all incremental registrant changes that have occurred since the last Load or Update was sent)
H	Contains voting HISTORY data for registrants
M	Verification MAILING Request – Requests OSP (Office of State Publishing) to send a VRC (Voter Registration Card) to all registrants in the file who attempted to change their address at DMV under motor voter for whom a valid, existing registration could not be found.

*Example: Amador County (#03) sends a Load file to Calvoter, followed by a Voting History file and then a registrant Update file. The last file they had sent to Calvoter was the sixtieth file. The names for the new files sent would be, respectively, 03000061L.txt, 03000062H.txt and 03000063U.txt.*

### **Sending Requirements**

#### **Load (L) and Update (U) Files**

State regulations require that a county should send a registrant Load or Update file any day they have *any* change to their voter registration data.

*Counties with systems that support registrant Update files* - Day-to-day changes should be sent as Updates. At periodic intervals determined by the Secretary of State or at the request of the Secretary of State, a full Load file must be sent for verification and synchronization purposes.

*Counties with systems that do not support registrant Update files* – A full Load file must be sent on any day there is a change to registrant data.

### **Voting History (H) Files**

Voting history files must be sent by E+120 after every election involving a federal or state office (e.g., statewide elections and special elections to fill a vacancy.)

### **Verification Mailing Request (M) Files**

This optional file may be sent at the county's convenience. The data will be aggregated and sent by batch to the OSP once per month. Counties should use care to send only one transaction request per applicant.

## ***B. Precinct/District Mapping File Conventions***

### **File Structure**

All these files are tab-delimited text files. As each field is a text field, no special characters should be used to indicate text data. Each record is 5 fields in length and an end of record is indicated by a carriage return [CR] and [LF]. Each record must include all fields: i.e., trailing null fields cannot be omitted from a record. There is no header record to the file. After the last record, the file must end with the literal characters: 'EOF' (for *end of file*) as the last line of the file.

### **Naming Convention**

All files must be named:

**PCTPRT.txt**

### **Sending Requirements**

These files should be sent on any day when existing precincts are deleted, new precincts are added, or when there is a change to any of the statewide jurisdictions (Congressional, State Senate, Assembly or Board of Equalization) to which any precinct is mapped.

## ***C. Deficiency Files***

In addition to the notices and files the counties currently receive from the Calvoter system there will be additional files sent if records do not meet the criteria in this document. There are two deficiency record formats that may be received by the county. One deficiency notice is on a registrant record and the other deficiency notice is on a precinct/district mapping file.

The deficiency notices will let the county know which field invalidated and which validation rule was violated. The entire record will be checked for accuracy, so one county record with many deficiencies will create multiple deficiency records. Failure to pass a validation will produce either a fatal flaw or a deficiency. A fatal flaw prevents the record from being processed into Calvoter. A deficiency allows the record to be processed into Calvoter, but notifies the county that those fields should be corrected.

## **File Structure**

Deficiency files are tab-delimited text files. As each field is a text field, no special characters will be used to indicate text data. An end of record is indicated by a carriage return [CR] *and* [LF]. Each record includes all fields: i.e., trailing null fields are not omitted from a record. There is no header record to the file.

## **Naming Convention**

### **Registrant Transaction Deficiency File**

Registrant Transaction Deficiency Files are named:

**CCNNNNNNA\_DEF.txt**

Where 'CCNNNNNNA' is the name of the file which was processed, "\_DEF" indicates the file is a deficiency file, and ".txt" extension indicates a text file.

### **Precinct/District Mapping Deficiency File**

Precinct/District Mapping Deficiency Files are named:

**PCTPRT\_DEF.txt**

## ***D. Report of Registration File Record Conventions***

### **File Structure**

All these files are fixed-width files. (Please see "Report of Registration Files, File Format" section for more information on the file structure.) Records are fixed length with an end of record indicated by a carriage return and a line feed.

### **Naming Convention**

All files must be named:

**RORDATA.txt**

### **Sending Requirements**

These files should be sent after the close-of-registration for any reporting period for those counties who wish to submit their data electronically.

## II. Calvoter File Formats

### A. Registrant Transaction Files

#### File Format

					Description
<b>TRANSACTION INFORMATION</b>					
1	Transaction Code	2	Alphanumeric	Must match valid code in Table C-1a or C-1b	A code that tells how each record is to be processed. Each number in this field shall be two digits; e.g., "01".
2	County Code	2	Alphanumeric	Must match valid code in Table C-2	A code identifying the county that generated or is the intended recipient of a transaction record.
<b>BASIC REGISTRANT INFORMATION</b>					
3	Registrant ID	10	Alphanumeric		The Registrant ID is the County's identification number for a registrant.
4	Document Number	10	Alphanumeric		The number on the document which initiates a registrant application (affidavit number), removal, felony conviction, county death record, etc.
5	Last Name	25	Alphanumeric		The registrant's last name.
6	First Name	25	Alphanumeric		The registrant's first name.
7	Middle Name	25	Alphanumeric		The registrant's middle name.
8	Name Suffix	4	Alphanumeric	Must match valid code in Table C-3	A suffix to the registrant's name, such as JR, SR, II, III, etc.
9	Residence Street Number	9	Alphanumeric		The building number associated with the registrant's current residence, not to be confused with the "number of the street".
10	Residence Street Number Suffix	4	Alphanumeric		A suffix, such as 'A', '1', or '1/2' associated with the registrant's current residence building number. Example 123-A Main St. or 456 1/2 Elm Ave.
11	Residence Street Name	30	Alphanumeric		The name (or number) of the street associated with the registrant's current residence address. (Non standard address can be placed in this field.) Counties may put the text "non-standard residence address" or put as much of the description as will fit in that field.
12	Residence Street Direction Prefix	2	Alphanumeric	Must match valid code in Table C-4	N, S, E, W, NE, NW, SE, SW Example: W Main Street.
13	Residence Street Direction Suffix	2	Alphanumeric	Must match valid code in Table C-4	N, S, E, W, NE, NW, SE, SW Example: Main Street SW.
14	Residence Street Type	4	Alphanumeric	Must match valid code in Table C-5	Common Street types such as, RD, ST, AVE.

					Description
15	Residence Unit Type	20	Alphanumeric		The type of unit located within a multi-residential community such as, Apartment, Building, Lot, etc.
16	Residence Unit Number	10	Alphanumeric		The number pertaining to a registrant's mailing unit number within a multi-residential community.
17	Residence City	25	Alphanumeric		The name of the city associated with the registrant's current residence address.
18	Residence State Code	2	Alphanumeric	Must match valid code in Table C-6	The USPS state code for the registrant's current residence address. This will always be "CA" for registrant data stored in County VR Systems.
19	Residence Zip Code	10	Alphanumeric	#####-#### or #####	The zip code for the registrant's current residence address.
20	Telephone Number	13	Alphanumeric	(###)###-####	The registrant's most recent telephone number.
21	Mailing Address Field 1	40	Alphanumeric		A freeform field for the registrant's current mailing PO Box or mailing street address. <i>(Optional – use only if mailing address is different then residence address.)</i>
22	Mailing Address Field 2	40	Alphanumeric		A freeform field for additional mailing address information. <i>(Optional – use only if mailing address is different then residence address.)</i>
23	Mailing Address City	60	Alphanumeric		If domestic: The city name of the registrant's current mailing address. <b>If foreign: include city, nation, and postal code in this field.</b> <i>(Optional – use only if mailing address is different then residence address.)</i>
24	Mailing Address State Code	2	Alphanumeric	Must match valid code in Table C-7	If domestic: The USPS state code of the registrant's current mailing address. <b>If foreign: this field must be left blank (see Description of field 23).</b> <i>(Optional – use only if mailing address is different then residence address.)</i>
25	Mailing Address Zip Code	10	Alphanumeric	#####-#### or #####	If domestic: The zip code associated with the registrant's current mailing address. <b>If foreign: this field must be left blank (see Description of field 23).</b> <i>(Optional – use only if mailing address is different then residence address.)</i>
26	-- Not Used --			<null>	



					Description
27	Date of Birth	10	Date	MM-DD-YYYY Valid dates only (for example "00-00-1900" is invalid)	The registrant's date of birth. <b>Required for all new registrations and all registrants with registration date (field 33) after 1/1/1990.</b> For those registrants registered before date of birth was required and for whom date of birth is unknown must use literal characters "01-01-1850"
28	Gender Code	1	Alphanumeric	Must match valid code in Table C-8	A code for the registrant's gender. Use <null> if unknown.
29	-- Not Used --			<null>	
30	Party Code	3	Alphanumeric	Must match valid code in Table C-9	A code identifying the registrant's political party affiliation.
31	Registration Status Code	1	Alphanumeric	Must match code in Table C-10	Code for registrant's status (e.g. Active, Inactive)
32	-- Not Used --			<null>	
33	Registration Date	10	Date	MM-DD-YYYY Valid dates only (for example "00-00-1900" is invalid)	The effective date of registration for a voter. <b>(This date will be used by the SOS to determine those voters qualified for a given election).</b>
34	Security Flag	1	Alphanumeric	Must be "Y" or null	A flag indicating the registrant is a legally qualified "Confidential Voter".
35	Precinct	7	Alphanumeric		The local code representing the registrant's precinct. <b>NOTE: The data used to identify a registrant's Precinct and Precinct part MUST EXACTLY match the codes used in the PCTPRT file to map precincts to State political jurisdictions.</b>
36	Precinct Part	3	Alphanumeric		The local code representing the registrant's precinct part. (Use <null> if precinct parts not used in County. See note for field 35.)
37	Registration Method Code	1	Alphanumeric	Must match valid code in Table C-12	A code identifying the means by which a registrant's application to vote was received.
38	Assistance Flag	1	Alphanumeric		A flag identifying a registrant who has requested special assistance at a polling place. 'Y' = a request was made; <null> = no such request.
39	ID Verified Per HAVA	1	Alphanumeric	Must match valid code in Table C-13	A code indicating whether the unique identifier (field 83) was verified against DMV or SSA records. Must be "Y" or "N"

					Description
40	ID Requirement for Voters Who Register by Mail	2	Alphanumeric	Must match valid code in Table C-14	A code for first time voters who register by mail indicating whether the registrant must show ID when voting. This field should be <null> if field 37 is not "M", otherwise the field should contain a valid value from table C-14.
41	Out of State Mailing Address flag	1	Alphanumeric	Must match valid code in Table C-15	A code indicating whether the registrant's mailing address is outside California. Must be "Y" or "N"
42	Place of Birth Name	20	Alphanumeric		Freeform text of the name of the registrant's place of birth. (See Place of Birth Code [field 84] for this field's companion code).
43	8d2 Mailing	12	Alphanumeric	Must match valid code in Table C-16	Field indicates the last 8d2 mailing for the voter and the date of that activity.
44	Inactive Date	10	Date	MM-DD-YYYY Valid dates only (for example "00-00-1900" is invalid)	Required for voters with Inactive status (field 31 = "I"), otherwise should be <null>.
45	Registration Source Code	3	Alphanumeric	Must match valid code in Table C-18	A code identifying the source by which the registrant registered to vote, such as DMV, etc.
<b>PREVIOUS REGISTRATION INFORMATION</b>					
46	Previous Registrant ID	10	Alphanumeric		Identification number from the registrant's previous election jurisdiction or if updated by a county (Transaction Code 22). (Data not usually available)
47	Previous County Code	2	Alphanumeric	Must match valid code in Table C-2	A code identifying the registrant's previous county of registration.
48	Previous Last Name	25	Alphanumeric		The registrant's previous last name.
49	Previous First Name	25	Alphanumeric		The registrant's previous first name.
50	Previous Middle Name	25	Alphanumeric		The registrant's previous middle name.
51	Previous Name Suffix	4	Alphanumeric	Must match valid code in Table C-3	A suffix to the registrant's previous name, such as JR, SR, II, III, etc.
52	Previous Residence Street Number	9	Alphanumeric		The building number associated with the registrant's previous residence, not to be confused with the "number of the street".
53	Previous Residence Street Number Suffix	4	Alphanumeric		A suffix, such as 'A', '1' or '1/2' associated with the registrant's previous residence building number. Example 123-A Main St. or 456 1/2 Elm Ave.
54	Previous Residence Street Name	30	Alphanumeric		The name (or number) of the street associated with the registrant's previous residence address.

					Description
55	Previous Residence Street Direction Prefix	2	Alphanumeric	Must match valid code in Table C-4	N, S, E, W, NE, NW, SE, SW Example: W Main Street.
56	Previous Residence Street Direction Suffix	2	Alphanumeric	Must match valid code in Table C-4	N, S, E, W, NE, NW, SE, SW Example: Main Street SW.
57	Previous Residence Street Type	4	Alphanumeric	Must match valid code in Table C-5	Common Street types such as, RD, ST, AVE.
58	Previous Residence Unit Type	20	Alphanumeric		The type of unit located within a multi-residential community such as, Apartment, Building, Lot, etc.
59	Previous Residence Unit Number	10	Alphanumeric		The number pertaining to a registrant's previous residence unit within a multi-residential community.
60	Previous Residence City	25	Alphanumeric		The name of the city associated with the registrant's previous residence address.
61	Previous Residence State Code	2	Alphanumeric	Must match valid code in Table C-6	The USPS state code for the registrant's previous residence address.
62	Previous Residence Zip Code	10	Alphanumeric	#####-#### or #####	The zip code associated with the registrant's previous residence address.
63	New County Code	2	Alphanumeric	Must match valid code in Table C-2	
<b>VOTING HISTORY INFORMATION</b>					
64	Election Code	2	Alphanumeric	Must match valid code in Table C-19	A code identifying a specific election when associated with the Election Year (field 65).
65	Election Year	2	Numeric		Last two digits of the year of an election. Validated in conjunction with Election Code (field 64).
66	Absentee Code	1	Alphanumeric	Must match valid code in Table C-20	A code identifying a registrant who voted as an absentee in a specified election: A = voted absentee, Null if voted in person.
67	Voted Party Code	3	Alphanumeric	Must match valid code in Table C-9	A code identifying how a registrant voted in the last election.
68	Voting Precinct and Precinct Part	11	Alphanumeric	See description	The code identifying a registrant's voting precinct in a specified election. The value is expressed as "Precinct" or "Precinct . Precinct Part", e.g., "1234567" or "1234567.123".
69	-- Not Used --			<null>	
70	-- Not Used --			<null>	
71	-- Not Used --			<null>	
72	-- Not Used --			<null>	
73	-- Not Used --			<null>	
<b>NVRA REPORTING INFORMATION (not currently used)</b>					
74	-- Not Used --			<null>	

					Description
75	-- Not Used --			<null>	
76	-- Not Used --			<null>	
77	-- Not Used --			<null>	
<b>LIST MAINTENANCE TRANSACTION INFORMATION</b>					
78	Origin of Transaction Code	4	Alphanumeric	Must match valid code in Table C-23	A code identifying the organization that created the data being transmitted.
79	Transaction Reason Code	4	Alphanumeric	Must match valid code in Table C-24	A code identifying additional information about various transaction types.
80	Match Score	3	Numeric	Must match valid code in Table C-25	A numeric value that identifies the relative significance of a match.
81	Match Criteria Code	4	Alphanumeric	Must match valid code in Table C-26	A code identifying which criteria was used to identify a registrant as a possible duplicate.
82	Effective Date	10	Date	MM-DD-YYYY Valid dates only ("00-00-1900" is invalid)	The effective date for the information being transmitted (i.e. the date of death for a DHS death notice; the date a move card was completed at the DMV for a DMV change of address; and the date that a move card was submitted to the USPS for a NCOA notice).
<b>OTHER REGISTRANT INFORMATION</b>					
83	Unique Identifier	12	Alphanumeric	See Table C-27 for data requirements.	The registrant's driver's license or ID number assigned by the DMV or other unique identifier assigned per Regulation 20108.70
84	Place of Birth Code	4	Alphanumeric	Must match valid code in Table C-28	The US state or nation where a registrant was born. (A code for the Place of Birth Name included as field 42).
85	Language Preference Code	1	Alphanumeric	Must match valid code in Table C-29	A code identifying the a registrant's election material language preference.
<b>OTHER LIST MAINTENANCE TRANSACTION INFORMATION</b>					
86	Transaction Creation Date	10	Date	MM-DD-YYYY Valid dates only ("00-00-1900" is invalid)	The date this transaction record was created by a county, by an agency or by the SOS.
87	Transaction Creation Time	8	Alphanumeric	HH:MM:SS	The time this transaction record was created by a county, by an agency or by the SOS.
88	Transaction ID	15	Alphanumeric		An identification number created by Calvoter for a transaction record sent to a county.
89	Other County Code	2	Alphanumeric	Must match valid code in Table C-2	A code identifying a registrant's county of registration for a registrant THAT IS PAIRED (Potential Duplicate) WITH THE SUBJECT REGISTRANT.

					Description
90	Other Registrant ID	10	Alphanumeric		An identification number for a registrant THAT IS PAIRED (Potential Duplicate) WITH THE SUBJECT REGISTRANT.
91	Duplicate Match Group ID	20	Alphanumeric		An identification number for a group of registrant pairs that are associated with the same duplicate match criteria field values.
92	-- Not Used --			<null>	
93	NCOA Reason Code	6	Alphanumeric	See Table C-30 for interpretation of code	The code string generated by the NCOA vendor.
<b>OTHER REGISTRANT INFORMATION</b>					
94	Name Prefix Code	4	Alphanumeric	Must match valid code in Table C-31	The registrant's name prefix, i.e., MR, MRS, MS or MISS. This field is used in conjunction with the current name data in fields 5-8.
95	Previous Name Prefix Code	4	Alphanumeric	Must match valid code in Table C-31	The registrant's previous name prefix, e.g., MR, MRS, MS, or MISS. This field is used in conjunction with the previous name data in fields 48-51.

## Types of Registrant Transaction Records

Each Transaction Record is for a specific type of transaction identified with a Transaction Code. These Transaction Codes tell Calvoter what to do with the data in the Transaction Record or, conversely, tells the county what to do with the transaction. Each of these transaction types is discussed further below. The heading shown for each transaction type is the Transaction Code and the Transaction Description.

### Records in Registration UPDATE files (type 'U')

#### 19 New Registrant

A new registrant. This record will be added to the Calvoter database.

#### 22 Registrant Update/Change

A change of information for a registrant already in the Calvoter Database. The existing record in Calvoter is replaced with this record. A change in status (field 31) for an existing registrant in Calvoter should be sent as an Update. (Note: registrants who are canceled are to be transmitted using Transaction Code 23 transaction; there is no "canceled" status in Calvoter.)

### 23     Registrant Deletion

A delete for a registrant already in the Calvoter Database. The record for this registrant is removed from the Calvoter database.

## **Records in Voting HISTORY files (type 'H')**

### 24     New Voting History

A transaction which gives a registrant credit for voting in a particular election. The data is added to the existing voting history record for the registrant.

### 25     Voting History Change

A change to a voting history record that already exists in the Calvoter Database for a registrant. The existing voting history record in Calvoter is replaced with this record.

### 26     Voting History Deletion

A deletion of a voting history record that already exists in the Calvoter Database for a registrant. The existing voting history record is removed from Calvoter.

## **Records in Registrant or Vote History LOAD files (type 'L')**

### 62     Registrant Load

Transaction type to be used when sending copy of the entire county registrant database. All Transaction Records of this type must be sent in a file containing only Transaction Type 62 records. All existing registration records from the county will first be deleted from Calvoter and then replaced with the records included in the Registrant Load file.

### 63     Voting History Load

Transaction type to be used when sending all county registrant voting history to the Calvoter database. All Transaction Records of this type must be sent in a file containing only Transaction Type 63. All existing voting history records from the county will first be deleted from Calvoter and then replaced with the records included in the Voting History Load file.

## **Records in verification MAILING request files (type 'M')**

### 30     Request for a Voter Registration Card Mailing

Transaction type used to tell the SOS to mail a registration application card to the person and address included in the Transaction Record. This transaction type is intended to be used in the case where the county cannot find a person in their County VR System and a new application is needed. This would include persons who have requested at DMV that the county change their registration address in that county.

										M'	Notes
1	Transaction Code	R	R	R	R	R	R	R	R	R	Validation #1
2	County Code or Agency ID	R	R	R	R	R	R	R	R	R	Validation #2
3	Registrant ID	R	R	R	R	R	R	R	R		Validation #3
4	Document Number	R	R	R	A	A	A	R			Validation #4
5	Last Name	R	R	R	A	A	A	R		A	Validation #5
6	First Name	A	A	A	A	A	A	A		A	
7	Middle Name	A	A	A	A	A	A	A		A	
8	Name Suffix	A	A	A	A	A	A	A		A	Validation #6
9	Residence Street Number	A	A					A		A	
10	Residence Street Number Suffix	A	A					A		A	
11	Residence Street Name	A	A					A		A	
12	Residence Street Direction Prefix	A	A					A		A	Validation #8
13	Residence Street Direction Suffix	A	A					A		A	Validation #9
14	Residence Street Type	A	A					A		A	Validation #10
15	Residence Unit Type	A	A					A		A	
16	Residence Unit Number	A	A					A		A	
17	Residence City	A	A					A		A	
18	Residence State Code	A	A					A		A	Validation #11
19	Residence Zip Code	A	A					A		A	Validation #12
20	Telephone Number	A	A					A			
21	Mailing Address Field 1	A	A					A		A	
22	Mailing Address Field 2	A	A					A		A	
23	Mailing Address City	A	A					A		A	
24	Mailing Address State Code	A	A					A		A	Validation #11
25	Mailing Address Zip Code	A	A					A		A	Validation #12
26	Not used (null field)										
27	Date of Birth	A	A					A			Validation #7, 13, 14, 15
28	Gender Code	A	A					A			Validation #16

										M	Notes
29	Not used (null field)										
30	Party Code	R	R					R			Validation #17
31	Registration Status Code	R	R					R			Validation #18
32	Not Used (null field)	A	A					A			
33	Registration Date	R	R					R			Validation #7, 19, 20
34	Security Flag	A	A					A			Validation #21
35	Precinct	R	R					R			Validation #22
36	Precinct Part	A	A					A			Validation #22
37	Registration Method Code	R	R					R			Validation #23
38	Assistance Flag	A	A					A			Validation #24
39	ID Verified Per HAVA	R	R					R			Validation #25
40	ID Requirement for voters who register by mail	A	A					A			Validation #26
41	Out of State Mailing Address Flag	R	R					R			Validation #27
42	Place of Birth Name	A	A					A			
43	8d2 Mailing	A	A					A			Validation #28
44	Inactive Date	A	A					A			Validation #29, 30
45	Registration Source Code	A	A					A			Validation #31
46	Previous Registrant ID	A	A					A			
47	Previous County Code	A	A					A			Validation #32
48	Previous Last Name	A	A					A			
49	Previous First Name	A	A					A			
50	Previous Middle Name	A	A					A			
51	Previous Name Suffix	A	A					A			Validation #6
52	Previous Residence Street Number	A	A					A			
53	Previous Residence Street Number Suffix	A	A					A			
54	Previous Residence Street Name	A	A					A			
55	Previous Residence Street Direction Prefix	A	A					A			Validation #8
56	Previous Residence Street Direction Suffix	A	A					A			Validation #9
57	Previous Residence Street Type	A	A					A			Validation #10
58	Previous Residence Unit Type	A	A					A			
59	Previous Residence Unit Number	A	A					A			



										M	Notes
60	Previous Residence City	A	A					A			
61	Previous Residence State Code	A	A					A			Validation #11
62	Previous Residence Zip Code	A	A					A			Validation #12
63	New County Code			A				A			Validation #32
64	Election Code				R	R	R		R		Validation #33
65	Election Year				R	R	R		R		Validation #34
66	Absentee Code				A	A	A		A		Validation #35
67	Voted Party Code				A	A	A		A		Validation #17
68	Voting Precinct and Precinct Part				R	R	R		R		
69	Not used; include as null field										
70	Not used; include as null field										
71	Not used; include as null field										
72	Not used; include as null field										
73	Not used; include as null field										
74	Not used; include as null field										
75	Not used; include as null field										
76	Not used; include as null field										
77	Not used; include as null field										
78	Origin of Transaction Code			A	A	A	A	A	A		
79	Transaction Reason Code										
80	Match Score										
81	Match Criteria Code										
82	Effective Date										
83	Unique Identifier	R	R	R				R	A		Validation #36
84	Place of Birth Code	A	A	A				A	A		Validation #37
85	Language Preference Code	A	A	A				A	A		Validation #38
86	Transaction Creation Date	R	R	R	R	R	R	R	R	R	Validation #39
87	Transaction Creation Time	R	R	R	R	R	R	R	R	R	Validation #40
88	Transaction ID	A	A	A	A	A	A	A	A	A	

											M	Notes
89	Other County Code											
90	Other Registrant ID											
91	Duplicate Match Group ID											
92	Not used; include as null field											
93	NCOA Reason Code											
94	Name Prefix Code	A	A	A				A				Validation #41
95	Previous Name Prefix Code	A	A	A				A				Validation #41

## Description of Field Validations

Validation Rule	Description	Transaction Type	Severity
1	Record will be rejected if transaction code (Field 1) is absent or invalid	All	Fatal
2	Record will be rejected if county code (field 2) is absent or invalid	All	Fatal
3	Record will be rejected if registrant id (field 3) is absent	19, 22, 23, 24, 25, 26, 62, 63	Fatal
4	Deficiency notice will be sent if document number (field 4) is absent. County must correct within 5 business days	19, 22, 23, 62	Deficiency
5	Record will be rejected if registrant last name (field 5) is absent	19, 22, 23, 62	Fatal
6	Deficiency notice will be sent if invalid Name Suffix code (field 8, 51) is used. County must correct within 5 business days	19, 22, 62	Deficiency
7	Deficiency notice will be sent if date of registration is prior to date of birth.	19, 22, 62	Fatal
8	Deficiency notice will be sent if invalid Street Direction Prefix (field 12, 55) is used. County must correct within 5 business days	19, 22, 62, 30	Deficiency
9	Deficiency notice will be sent if invalid Street Direction Suffix (field 13, 56) is used. County must correct within 5 business days	19, 22, 62, 30	Deficiency
10	Deficiency notice will be sent if invalid Street Type (field 14, 57) is used. County must correct within 5 business days	19, 22, 62, 30	Deficiency
11	Deficiency notice will be sent if invalid State Code (field 18, 24, 61) is used. County must correct within 5 business days	19, 22, 62, 30	Deficiency
12	Deficiency notice will be sent if Zip Code (field 19, 25, 62) is incorrectly formatted. County must correct within 5 business days	19, 22, 62, 30	Deficiency
13	Record will be rejected if date of birth is missing and registration date is after 1/1/1990	19, 22, 62	Fatal
14	Record will be rejected if date of birth is incorrectly formatted	19, 22, 62	Fatal
15	Record will be rejected if age of registrant is < 17	19, 22, 62	Fatal
16	Deficiency notice will be sent if invalid Gender Code (field 28) is used. County must correct within 5 business days	19, 22, 62	Deficiency

17	Deficiency notice will be sent if invalid Party Code (field 30, 67) is used. County must correct within 5 business days	19, 22, 24, 25, 26, 62, 63	Fatal
18	Record will be rejected if invalid Registration Status Code (field 31) is used.	19, 22, 62	Fatal
19	Record will be rejected if Registration Date (field 33) is missing or incorrectly formatted.	19, 22, 62	Fatal
20	Record will be rejected if Registration Date (field 33) is after the Transaction Creation Date (field 86).	19, 22, 62	Fatal
21	Deficiency notice will be sent if invalid Security Flag Code (field 34) is used. County must correct within 5 business days	19, 22, 62	Fatal
22	Deficiency notice will be sent if Precinct (field 35) + Precinct Part (field 36) do not match existing precinct/precinct part records submitted by the county in a precinct mapping file (PCTPRT.TXT)	19, 22, 62	Deficiency
23	Deficiency notice will be sent if invalid Registration Method Code (field 37) is used. County must correct within 5 business days	19, 22, 62	Deficiency
24	Deficiency notice will be sent if invalid Assistance Flag Code (field 38) is used. County must correct within 5 business days	19, 22, 62	Deficiency
25	Record will be rejected if ID Verified Per HAVA Flag (field 39) is missing or invalid.	19, 22, 62	Fatal
26	Record will be rejected if Registration Method Code (field 37) = 'M' and ID Requirement for Voters Who Register By Mail (field 40) is missing or invalid.	19, 22, 62	Fatal
27	Deficiency notice will be sent if invalid Out of State Mailing Address Flag Code (field 41) is used. County must correct within 5 business days	19, 22, 62	Deficiency
28	Deficiency notice will be sent if invalid 8d2 Mailing (field 43) data is invalid. County must correct within 5 business days	19, 22, 62	Deficiency
29	Deficiency notice will be sent if Status Code (field 31) is 'A' and Inactive Date (field 44) is not <null>	19, 22, 62	Deficiency
30	Deficiency notice will be sent if Status Code (field 31) is 'I' and data in Inactive Date (field 44) is invalid	19, 22, 62	Deficiency
31	Deficiency notice will be sent if invalid Registration Source Code (field 45) is used. County must correct within 5 business days	19, 22, 62	Deficiency
32	Deficiency notice will be sent if invalid County Code (field 47, 63) is used. County must correct within 5 business days	19, 22, 62	Deficiency
33	Record will be rejected if Election Code (field 64) is missing or invalid	24, 25, 26, 63	Fatal
34	Record will be rejected if Election Year (field 65) is invalid for Election Code (field 64).	24, 25, 26, 63	Fatal
35	Deficiency notice will be sent if invalid Absentee Code (field 66) is used. County must correct within 5 business days	24, 25, 26, 63	Deficiency
36	Record will be rejected if Unique Identifier (field 83) is missing or invalid	19, 22, 23, 62	Fatal
37	Deficiency notice will be sent if invalid Place of Birth Code (field 84) is used. County must correct within 5 business days	19, 22, 62	Deficiency
38	Deficiency notice will be sent if invalid Language Preference Code (field 85) is used. County must correct within 5 business days	19, 22, 62	Deficiency
39	Deficiency notice will be sent if Transaction Creation Date (field 86) is missing or invalid. County must correct within 5 business days.	All	Deficiency
40	Deficiency notice will be sent if Transaction Creation Time (field 87) is missing or invalid. County must correct within 5 business days.	All	Deficiency
41	Deficiency notice will be sent if Name Prefix Code (field 94, 95) is invalid. County must correct within 5 business days.	19, 22, 23, 62	Deficiency
42	If Registration Date (field 33) is greater than December 31, 2005, then ID Verified Per HAVA Flag (field 39) must be "Y".	19, 22, 62	Fatal
43	Record will be rejected if Registration Date (field 33) is after E-15 and before E+29 (known as the blackout period) and the current date is within this same blackout period.	All	Fatal

## Tables of Codes for Fields in Registrant Transaction Files

**Table C-1a**

### CODES FOR COUNTY-GENERATED TRANSACTION RECORDS

Used in Transaction Record Field Number 1

Transaction Code	Transaction Type Description	File Type
19	New Registrant	U
22	Registrant Update/Change	U
23	Registrant Deletion	U
24	New Voting History	H
25	Voting History Change	H
26	Voting History Deletion	H
30	Request for Voter Registration Card Mailing	M
62	Registrant Load	L
63	Voting History Load	L

**Table C-1b**

### CODES FOR CALVOTER-GENERATED TRANSACTION RECORDS

Used in Transaction Record Field Number 1

Transaction Code	Transaction Type Description
09	DMV COA: Move Within County Notification or NCOA: Address update
10	DHS: Death Notification
11	CDC: Felony Conviction
15	DMV COA: Move Out of County Notification
28	Possible Duplicate Registrant
31	DMV COA: Move Into County Notification

**Table C-2**  
**COUNTY CODES**

Used in Transaction Record Field Number 2, 47 & 63

Used in Precinct/District Record Field Number 1

Null is invalid if the field is applicable or required

County Code	County Name
01	Alameda
02	Alpine
03	Amador
04	Butte
05	Calaveras
06	Colusa
07	Contra Costa
08	Del Norte
09	El Dorado
10	Fresno
11	Glenn
12	Humboldt
13	Imperial
14	Inyo
15	Kern
16	Kings
17	Lake
18	Lassen
19	Los Angeles
20	Madera
21	Marin
22	Mariposa
23	Mendocino
24	Merced
25	Modoc
26	Mono
27	Monterey
28	Napa
29	Nevada

County Code	County Name
30	Orange
31	Placer
32	Plumas
33	Riverside
34	Sacramento
35	San Benito
36	San Bernardino
37	San Diego
38	San Francisco
39	San Joaquin
40	San Luis Obispo
41	San Mateo
42	Santa Barbara
43	Santa Clara
44	Santa Cruz
45	Shasta
46	Sierra
47	Siskiyou
48	Solano
49	Sonoma
50	Stanislaus
51	Sutter
52	Tehama
53	Trinity
54	Tulare
55	Tuolumne
56	Ventura
57	Yolo
58	Yuba

**Table C-3**  
**NAME SUFFIX CODES**

Used in Transaction Record Field Numbers 8 and 51

<b>Name Suffix Code</b>	<b>Name Suffix</b>
JR	Junior
SR	Senior
I	1st
II	2nd
III	3rd
IV	4th
V	5th
VI	6th
VII	7th
VIII	8th
IX	9th
X	10th
<null>	Blank or none

**Table C-4**  
**RESIDENCE STREET DIRECTION CODES**

Used in Transaction Record Field Numbers 12, 13, 55 and 56

<b>Street Direction Code</b>	<b>Street Direction</b>
N	North
S	South
E	East
W	West
NE	Northeast
NW	Northwest
SE	Southeast
SW	Southwest
<null>	Blank/None

**Table C-5**  
**RESIDENCE STREET TYPE CODES**

Used in Transaction Record Field Numbers 14 and 57

Valid Codes for this field will be supplied by the Secretary of State

**Table C-6**  
**RESIDENCE STATE CODES\***

Used in Transaction Record Field Numbers 18 & 61

Null is invalid if the field is applicable or require

State Code	State Name
AK	Alaska
AL	Alabama
AR	Arkansas
AS	American Samoa
AZ	Arizona
CA	California
CO	Colorado
CT	Connecticut
DC	District of Columbia
DE	Delaware
FL	Florida
FM	Federated States of Micronesia
GA	Georgia
GU	Guam
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MH	Marshall Islands
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NE	Nebraska

State Code	State Name
NH	New Hampshire
NV	Nevada
NY	New York
NJ	New Jersey
NM	New Mexico
NC	North Carolina
ND	North Dakota
MP	Northern Mariana Islands
OK	Oklahoma
OH	Ohio
PW	Palau
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
TX	Texas
SC	South Carolina
SD	South Dakota
TN	Tennessee
UT	Utah
VT	Vermont
VA	Virginia
WI	Wisconsin
WV	West Virginia
VI	Virgin Islands, U.S.
WA	Washington
WY	Wyoming

*\*This set of codes is the same as Mailing  
Address State Codes (Table C-7) with non-  
states (AA, AP and AE) and null removed.*

**Table C-7**  
**MAILING ADDRESS STATE CODES\***  
Used in Transaction Record Field Number 24

State Code	State Name
AK	Alaska
AL	Alabama
AR	Arkansas
AS	American Samoa
AZ	Arizona
CA	California
CO	Colorado
CT	Connecticut
DC	District of Columbia
DE	Delaware
FL	Florida
FM	Federated States of Micronesia
GA	Georgia
GU	Guam
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MH	Marshall Islands
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NE	Nebraska
NH	New Hampshire
NV	Nevada
NY	New York
NJ	New Jersey

State Code	State Name
NM	New Mexico
NC	North Carolina
ND	North Dakota
MP	Northern Mariana Islands
OK	Oklahoma
OH	Ohio
PW	Palau
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
TX	Texas
SC	South Carolina
SD	South Dakota
TN	Tennessee
UT	Utah
VT	Vermont
VA	Virginia
WI	Wisconsin
WV	West Virginia
VI	Virgin Islands, U.S.
WA	Washington
WY	Wyoming
AA	Armed Forces of the Americas
AE	Armed Forces Europe
AP	Armed Forces Pacific
<null>	Unknown

*\*This set of codes is the same as Residence  
State Codes with non states (AA, AE and AP)  
and null added.*



**Table C-8**  
**GENDER CODES**

Used in Transaction Record Field Number 28

<b>Sex Code</b>	<b>Sex Description</b>
M	Male
F	Female
<null>	Unknown

**Table C-9**  
**PARTY CODES**

Used in Transaction Record Field Numbers 30 & 67

Valid Codes for this field will be supplied by the Secretary of State

**Table C-10**  
**REGISTRATION STATUS CODES**

Used in Transaction Record Field Number 31

<b>Registration Status Code</b>	<b>Registration Status Description</b>
A	Active voter
I	Inactive voter

**Table C-11**  
**STATUS REASON CODES**

Used in Transaction Record Field Number 32

Not currently used – should be <null>

**Table C-12**  
**REGISTRATION METHOD CODES**

Used in Transaction Record Field Number 37

<b>Registration Method Code</b>	<b>Registration Method Description</b>
D	DMV
I	In Person
M	Mail (must have a postmark)
R	Registration Drive
O	Other social service agencies
U	Unknown or Secretary of State

**Table C-13**

**ID VERIFIED PER HAVA FLAG**

Used in Transaction Record Field Number 39

Code	Description
Y	Yes (the ID number was verified against DMV or SSA records)
N	No (the ID number was not verified against DMV or SSA records)

*NOTE: "All registrations on or after January 1, 2006 must be checked through the Calvalidator process. This requirement is separate from the requirement to show ID at the polls. For new registrants as of January 1, 2006 who have been put through the HAVA Verification Process, this field must be 'Y.'" (see Table C-27)*

*The HAVA Verification Process includes both the check through Calvalidator and then, if necessary, the appropriate county business processes. Refer to §20108.65 of the regulations: Verification of Driver's License Numbers, State Identification Numbers, and Social Security Numbers Listed on Affidavits of Registration Submitted on and after January 1, 2006.*

**Table C-14**

**ID REQUIREMENT FOR VOTERS WHO REGISTER BY MAIL**

Used in Transaction Record Field Numbers 40

*HAVA mandates that all voters who register by mail and haven't previously voted in a federal election in California must show an ID the first time they vote in a federal election unless they meet one of several conditions. This field is used to track whether a mail registrant is required to provide ID, or if not, the reason for that exemption. (See regulation 20108.38)*

Field may not be null if Registration Method (field 37) is 'M' (Mail)

Code	Description
Y	Voter is required to show ID the first time he or she votes in a Federal election
A	Registrant has previously voted in a federal election in California
B	Registrant submitted copy of identification with their registration application
C	Registrant's ID was verified against DMV or SSA records
D	Registrant is entitled to vote absentee under the Uniformed and Overseas Citizens Absentee Voting Act (UOCAVA)
E	Registrant is entitled to vote otherwise than in person under the Voting Accessibility for the Elderly and Handicapped Act (VAEHA)
F	Registrant is entitled to vote otherwise than in person under other federal law
G	Voter has provided ID prior to voting
<null>	Registrant has not registered by mail

*Note: Once a registrant who is flagged 'Y' above has provided ID or voted in a Federal election, their record should be updated with the appropriate code above to indicate the requirement no longer applies to the registrant.*

**Table C-15**

**OUT OF STATE MAILING ADDRESS FLAG**

Used in Transaction Record Field Number 41

Code	Description
Y	Registrant's mailing address is not in California
N	Registrant's mailing address is in California

**Table C-16**  
**8d2 MAILING**

Used in Transaction Record Field Numbers 43

Character	Code	Description
1	A	8d2 notice mailed – awaiting response
	B	8d2 notice – voter response received
2	-	Dash
3-12	Date in 'MM-DD-YYYY' Format	Date notice mailed or voter response received

*Example: If an 8d2 notice was mailed to the registrant on May 8, 2004, this field would be coded 'A-05-08-2004'*

**Table C-18**  
**REGISTRATION SOURCE CODES\***

Used in Transaction Record Field Number 45

Registration Source Code	Registration Source Description
DMV	Department of Motor Vehicles
PAA	Public Assistance Agencies
DSO	State-assisted Disability Service Organizations
AFR	Armed Forces Recruiting Centers
ODA	Other Designated Agencies not listed above
MAI	Others received by mail and not included above
<null> or UNK	Unknown

*\*This set of codes is the same as NVRA Source Code with null added.*

**Table C-19**  
**ELECTION CODES**

Used in Transaction Record Field Number 64

Null is invalid if the field is applicable or required

Election Code	Election Description
PP	Presidential Primary
PG	Presidential General
GP	Gubernatorial Primary
GG	Gubernatorial General
SS	Special Statewide
CP	Congressional District Special Primary
CG	Congressional District Special General
SP	Other Legislative District Special Primary
SG	Other Legislative District Special General

**Table C-20**

**ABSENTEE CODES**

Used in Transaction Record Field Number 66

Absentee Code	Absentee Description
<null>	In person
A	Absentee

**Table C-21**

**NVRA SOURCE CODES**

Used in Transaction Record Field Number 75

(NOTE: NVRA reporting is not currently used in Calvoter)

**Table C-22**

**NVRA TYPE CODES**

Used in Transaction Record Field Number 76

(NOTE: NVRA reporting is not currently used in Calvoter)

**Table C-23**

**ORIGIN OF TRANSACTION CODES**

Used in Transaction Record Field Number 78

Origin of Transaction Code	Origin of Transaction Description
DMV	Department of Motor Vehicles
DHS	Department of Health Services
CDC	Department of Corrections
NCOA	NCOA Vendor
<null>	Not applicable

**Table C-24**

**TRANSACTION REASON CODES**

Used in Transaction Record Field Number 79

(NOTE: Used only in DMV COA transactions from SOS.)

Transaction Reason Code	Transaction Reason Description
A	Change in the registrant's address
D	Change in the registrant's Driver's License Number or ID Number.
<null>	Unknown

**Table C-25**  
**MATCH SCORE**

Used in Transaction Record Field Number 80

Transaction Reason Code	Transaction Reason Description
1	Very highest confidence level of a valid match
2	Second highest confidence level of a valid match
3 – 998	Varying confidence levels
999	Very lowest confidence level of a valid match

**Table C-26**  
**MATCH CRITERIA CODES**

Used in Transaction Record Field Number 81

Null is invalid if the field is applicable or required

Match Criteria Code	Match Criteria Description
A	PRIMARY Dup - Unique ID number, FIRST, DOB
B	ALT Dup - Unique ID number
C	ALT Dup - LastName, FirstName, DOB
D	SF - First, DOB, Last
E	SPECIAL Dup - Last, DOB
F	SPECIAL Dup - FirstName, DOB
G	ALT Dup - LastName, FirstName, DOB, POB
H	SPECIAL Dup - First, DOB, Street Name, Place of Birth
I	SPECIAL Dup - FirstName, DOB, POB
J	ALT Dup - Unique ID number, LastName, DOB
K	Special Dup - Last, First, DOB, Unique ID number
L	SPECIAL - FirstName, LastName, MiddleName, DOB, Unique ID number

**Table C-27**  
**UNIQUE IDENTIFIER**

Used in Transaction Record Field Number 83

Regulation 20108.65 & 20108.70 require that if the registrant has a CA DL (Driver's License) or State ID, that number must be used as the Unique Identifier. If not, then the last four digits of the registrant's SSN must be used as the Unique Identifier. Finally, if the registrant has neither a DL or State ID or SSN, a Unique Identifier must be generated and used for the registrant. Please note the requirements below for constructing the unique identifier and transmitting it to Calvoter.

Type of ID	Format of Data
CA Driver's License or State ID	Use the actual number assigned by DMV
Last four digits of the SSN	<p>Construct the unique identifier in the following manner:</p> <p><b>1st Character:</b> the character "X" (<i>to signify the Unique ID is based on a SSN</i>)</p> <p><b>2nd thru 5th Characters:</b> Last four digits of the registrant's SSN</p> <p><b>6th thru 11th Characters:</b> Registrant's date of birth in the format "MMDDYY"</p> <p><i>Example: A registrant with 8888 for the last four digits of the SSN with a date of birth of June 2nd, 1955 would have the Unique Identifier: X8888060255</i></p>
No DL or State ID and No SSN	<p>Construct the unique identifier in the following manner:</p> <p><b>1st Character:</b> the character "I" (to signify the Unique ID is generated for a person without DL or SSN.)</p> <p><b>2nd – 6th characters are all upper case</b></p> <p><b>2nd Character:</b> First letter of the registrant's First Name, else if no first letter, then use the character "2" (two).</p> <p><b>3rd Character:</b> Third letter of the registrant's First Name, else if no third letter, use second letter of First Name, else if no second letter, use first letter of First Name, else if no first letter, then use the character "3" (three).</p> <p><b>4th Character:</b> First letter of the registrant's Middle Name, else if no first letter, then use the character "4" (four).</p> <p><b>5th Character:</b> First letter of the registrant's Last Name, else if no first letter, then use the character "5" (five).</p> <p><b>6th Character:</b> Third letter of the registrant's Last Name, else if no third letter, use second letter of Last Name, else if no second letter, use first letter of Last Name, else if no first letter, then use the character "6" (six).</p> <p><b>7th thru 12th Characters:</b> Registrant's date of birth in the format "MMDDYY"</p> <p><i>Example: A registrant "Mary Vu" with a date of birth of June 2nd, 1955 would have the Unique Identifier: IMR4VU060255. Registrant T Q Smaw born on the same day would have: ITTQSA060255.</i></p>

**Table C-28**  
**PLACE OF BIRTH CODES**

Used in Transaction Record Field Number 84

Valid Codes for this field will be supplied by the Secretary of State

**Table C-29**  
**LANGUAGE PREFERENCE CODES**

Used in Transaction Record Field Number 85

Valid Codes for this field will be supplied by the Secretary of State

**Table C-30**  
**NCOA REASON CODE**

Used in Transaction Record Field Number 93

**Interpret the NCOA Reason Code.** The NCOA Reason Code must be interpreted to determine the meaning of the NCOA address change data sent. The NCOA Reason Code consists of the following individual sub-codes (all sub-codes are a letter followed by a blank):

Response Part	Codes	Explanation
Response Code	Y	Matched to a forwardable address
	O	No other information available
Move Type Code	I	Individual match - only the matched registrant moved
	F	Family match - the entire household moved
Forwarding Information Code	K	Moved and left no address; no address returned from NCOA
	G	Box closed no order; no address returned from NCOA
	F	Foreign new address; no address returned from NCOA
	M	Forwardable (deliverable) address; new NCOA address returned

The NCOA Reason Code is constructed by concatenating these three 2 byte individual sub-codes. For example, an NCOA Reason Code of "Y I M " (three letters with each letter is followed by a blank) would indicate that the input address matched to a forwardable address, only the matched recipient moved, and a new "forwardable" address is included in the transaction record.

**Table C-31**  
**NAME PREFIX CODES**

Used in Transaction Record Field Numbers 94 & 95

Name Prefix Code	Name Prefix Description
MR	Mister
MS	Ms
MRS	Misses
MISS	Miss
<null>	Unknown

## ***B. Precinct/District Mapping Files***

### **File Format**

All fields except Precinct Part are required.

<b>Field No.</b>	<b>Field Name</b>	<b>Max Length</b>	<b>Data Type</b>	<b>Data Restrictions</b>	<b>Description</b>
1	County Code	2	Alpha-numeric	Must match valid code in Table C-2	A code identifying a county.
2	Precinct	7	Alpha-numeric	Must be the same precinct coding system used in Transaction Records	The local code identifying the voting precinct.
3	Precinct Part	3	Alpha-numeric	Must be the same precinct part coding system (if any) used in Transaction Records.	The local code identifying the voting precinct part. This field is optional. (Used by only a few counties.)
4	District ID	5	Alpha-numeric	Must match valid code in Table D-2, D-3, D-4 or D-5, as appropriate	A code identifying a statewide election district in a county.
5	Effective Date	10	Date	MM-DD-YYYY	The date the relation between the precinct & precinct part and the district became effective.

### **Description of Field Validations**

<b>Validation Rule</b>	<b>Description</b>	<b>Severity</b>
1	Record will be rejected if County Code (field 1) is absent or invalid	Fatal
2	Record will be rejected if Precinct (field 2) is absent	Fatal
3	Record will be rejected if District ID (field 4) is absent or invalid	Fatal
4	Record will be rejected if Effective Date is incorrectly formatted	Fatal

## **Tables of Codes for Fields in Precinct/District Mapping Files**

**Table D-2**

### **DISTRICT CODES FOR STATE BOARD OF EQUALIZATION DISTRICTS**

Used in Precinct/District Record Field Number 4

<b>District Code</b>	<b>State Board of Equalization District Number</b>
SE001	1
SE002	2
SE003	3
SE004	4



**Table D-3**  
**DISTRICT CODES FOR U.S. CONGRESSIONAL DISTRICTS**

Used in Precinct/District Record Field Number 4

<b>District Code</b>	<b>U.S. Congressional District Number</b>	<b>District Code</b>	<b>U.S. Congressional District Number</b>	<b>District Code</b>	<b>U.S. Congressional District Number</b>
CG001	1	CG019	19	CG037	37
CG002	2	CG020	20	CG038	38
CG003	3	CG021	21	CG039	39
CG004	4	CG022	22	CG040	40
CG005	5	CG023	23	CG041	41
CG006	6	CG024	24	CG042	42
CG007	7	CG025	25	CG043	43
CG008	8	CG026	26	CG044	44
CG009	9	CG027	27	CG045	45
CG010	10	CG028	28	CG046	46
CG011	11	CG029	29	CG047	47
CG012	12	CG030	30	CG048	48
CG013	13	CG031	31	CG049	49
CG014	14	CG032	32	CG050	50
CG015	15	CG033	33	CG051	51
CG016	16	CG034	34	CG052	52
CG017	17	CG035	35	CG053	53
CG018	18	CG036	36		

**Table D-4**  
**DISTRICT CODES FOR STATE SENATE DISTRICTS**

Used in Precinct/District Record Field Number 4

<b>District Code</b>	<b>State Senate District Number</b>	<b>District Code</b>	<b>State Senate District Number</b>	<b>District Code</b>	<b>State Senate District Number</b>
SS001	1	SS015	15	SS028	28
SS002	2	SS016	16	SS029	29
SS003	3	SS017	17	SS030	30
SS004	4	SS018	18	SS031	31
SS005	5	SS019	19	SS032	32
SS006	6	SS020	20	SS033	33
SS007	7	SS021	21	SS034	34
SS008	8	SS022	22	SS035	35
SS009	9	SS023	23	SS036	36
SS010	10	SS024	24	SS037	37
SS011	11	SS025	25	SS038	38
SS012	12	SS026	26	SS039	39
SS013	13	SS027	27	SS040	40
SS014	14				

**Table D-5**  
**DISTRICT CODES FOR STATE ASSEMBLY DISTRICTS**

Used in Precinct/District Record Field Number 4

<b>District Code</b>	<b>State Assembly District Number</b>	<b>District Code</b>	<b>State Assembly District Number</b>	<b>District Code</b>	<b>State Assembly District Number</b>
SA001	1	SA028	28	SA055	55
SA002	2	SA029	29	SA056	56
SA003	3	SA030	30	SA057	57
SA004	4	SA031	31	SA058	58
SA005	5	SA032	32	SA059	59
SA006	6	SA033	33	SA060	60
SA007	7	SA034	34	SA061	61
SA008	8	SA035	35	SA062	62
SA009	9	SA036	36	SA063	63
SA010	10	SA037	37	SA064	64
SA011	11	SA038	38	SA065	65
SA012	12	SA039	39	SA066	66
SA013	13	SA040	40	SA067	67
SA014	14	SA041	41	SA068	68
SA015	15	SA042	42	SA069	69
SA016	16	SA043	43	SA070	70
SA017	17	SA044	44	SA071	71
SA018	18	SA045	45	SA072	72
SA019	19	SA046	46	SA073	73
SA020	20	SA047	47	SA074	74
SA021	21	SA048	48	SA075	75
SA022	22	SA049	49	SA076	76
SA023	23	SA050	50	SA077	77
SA024	24	SA051	51	SA078	78
SA025	25	SA052	52	SA079	79
SA026	26	SA053	53	SA080	80
SA027	27	SA054	54		

## C. Deficiency Files

### File Format : Registrant Transaction Deficiency

Field No.	Field Name	Max Length	Data Type	Data Restrictions	Description
1	Registrant ID	10	Alpha-numeric		The Registrant ID provided in the Registrant Transaction Record
2	Validation Rule	4	Numeric		The validation rule number violated per the Calvoter Data Standards for the Registrant Transaction Record
3	Severity	1	Alpha-numeric	Must be 'F' or 'D'	'F' for a fatal error. 'D' for a deficiency.

### File Format : Precinct/District Mapping Deficiency File

Field No.	Field Name	Max Length	Data Type	Data Restrictions	Description
1	County Code	2	Alpha-numeric		County Code from the uploaded file
2	Precinct	7	Alpha-numeric		Precinct from the uploaded file
3	Precinct Part	3	Alpha-numeric		Precinct Part from the uploaded file
4	District Id	5	Alpha-numeric		District Id from the uploaded file
5	Effective Date	10	Date	MM-DD-YYYY	Effective Date from the uploaded file
6	Validation Rule	4	Numeric		The validation rule number violated per the Calvoter Data Standards for the Precinct/District Mapping Transaction Record
7	Severity	1	Alpha-numeric	Must be 'F' or 'D'	'F' for a fatal error. 'D' for a deficiency.

## ***D. Report of Registration Files***

### **File Format**

All fields except the Total Registrant Count and Filler fields are required.

Valid fields for file will be supplied by the Secretary of State

### **Table of Codes for Fields in Report of Registration Files**

#### **Table H-2**

#### **LINE CODES**

Used in ROR Record Field Number 2

<b>Line Code</b>	<b>Line Description</b>
0	County
1	Supervisory
2	Congressional
3	Senatorial
4	Assembly
5	Board of Equalization
6	City
7	Unincorporated

### **III. Calvalidator Batch Files**

#### **A. Calvalidator Batch File Conventions**

##### **File Structure**

All these files are tab-delimited text files. An end of record is indicated by a carriage return [CR] *and* line feed [LF]. Each record must include all fields; i.e., trailing null fields cannot be omitted from a record. After the last record, the file must end with the literal characters: 'EOF' (for *end of file*) as the last line of the file.

##### **Naming Convention**

###### **Calvalidator Batch File from County to SOS**

Outgoing files will be of the following form in the Calvoter County Outbox:

**'CC' + 'DL' + 'MMDDYY'.txt**

'CC' is the county number. "DL" will be the next two letters of the file name with the date appended to it in the MMDDYY form. The extension 'txt' will be kept so that the existing CFT (County File Transfer) process can continue to function unmodified.

###### **Calvalidator Batch File from SOS to County**

Incoming files will be of the following form in the Calvoter County Inbox:

**'CC' + 'CL' + 'MMDDYY'.txt**

'CC' is the county number. "CL" will be the next two letters of the file name with the date string from the original file appended to it in the MMDDYY form. The extension 'txt' will be kept so that the existing CFT process can continue to function unmodified.

File names may only contain letters and numbers excluding the single "." before the file extension.

##### **Sending Requirements**

These files can be sent once a day.

The Calvalidator Batch is based on the counties providing data files and loading those files onto the County Workstation. These files are then FTP'd up to the SOS at night to be processed. The file naming conventions are written such that there is no impact to legacy code from the Calvoter system since this process will share the CFT (County File Transfer) functionality of Calvoter.

###### **On each County Workstation**

For each county workstation there is a directory under the C drive which contains the inbox and outbox for the county.

Subdirectory 1	Subdirectory 2	Description
C:\CALVOTER	\outbox	Files are placed into the outbox by the counties for processing through the Calvalidator Batch system.
	\inbox	Files are placed into the inbox from the Calvoter CFT process nightly for the counties to use.

## ***B. Calvalidator Batch File Formats***

### **File Format : from Counties to SOS**

Field No.	Column Name	Max Length	Data Type	Data Restrictions	Column Description
1	Transaction Code	1	Alpha-numeric		One of two valid values: 'V' - Validate the provided DL number based on the HAVA exact match criteria. 'S' - Suggest a value for the DL number based on one of the following and in order 1. Exact - Last, First, DOB 2. Smart - Last, "Smart First", DOB 3. Sounds Like - "Sounds like Last", "Sounds like First". DOB
2	County Code	4	Alpha-numeric	Use format in Table C-2	The code for the county for which the data is being sent.
3	Registration ID	10	Alpha-numeric		The unique Registration ID assigned by the county to this registrant
4	DL Number	10	Alpha-numeric		The DL Number provided by the new registrant or if not a new registrant then the ID the county has, if any.
5	Last Name	25	Alpha-numeric		The last name of the registrant.
6	First Name	25	Alpha-numeric		The first name of the registrant.
7	Date of Birth	10	Date	MM-DD-YYYY	The date of birth of the registrant.
8	Address	80	Alpha-numeric		The residence address of the registrant.
9	City	60	Alpha-numeric		The city of the registrant.
10	State	2	Alpha-numeric	Must be a valid state code. Use format in Table C-6.	The state of the registrant.
11	Zip	10	Alpha-numeric	##### or #####-####	The zip code of the registrant.
12	SSN4	4	Numeric	####	The last four digits of the registrant's social security number

### File Format : from SOS to Counties

Field No.	Column Name	Data Length	Data Type	Data Restrictions	Column Description
1	Transaction Code	1	Alpha-numeric		'V' - Validate provided DL number based on HAVA exact match criteria. 'S' - Suggest a DL number
2	County Code	4	Alpha-numeric	Use format in Table C-2.	The code for the county for which the data is being sent.
3	Registration ID	10	Alpha-numeric		The unique Registration ID assigned by the county to this registrant
4	DL Number	10	Alpha-numeric		Registrant-provided ID Number.
5	Last Name	25	Alpha-numeric		Registrant-provided last name.
6	First Name	25	Alpha-numeric		Registrant-provided first name.
7	Date of Birth	10	Date	MM-DD-YYYY	Registrant-provided date of birth.
8	Address	80	Alpha-numeric		Registrant-provided home address.
9	City	60	Alpha-numeric		Registrant-provided city.
10	State	2	Alpha-numeric	Must be a valid State code. Use format in Table C-6.	Registrant-provided state.
11	Zip	10	Alpha-numeric	##### or #####-####	Registrant-provided zip code.
12	HAVA Confirmed Value	1	Alpha-numeric	Must be a 'Y' or an 'N'	One of two values:  'Y' – Indicates that the data provided was EXACTLY matched to a DMV record using Last Name, First Name, DOB and Drivers License Number  'N' – Indicates that the data provided could not be matched with the DMV data.
13	Match Method	10	Alpha-numeric	One of the following text values:  EXACT MULTIPLE SSA_MULT DEAD NO_MATCH INVALID SYSTEM_ERR	See Table K-1, Match Method Code Descriptions.
14	Suggested DL Number	10	Alpha-numeric		This is the DMV DL Number that was found instead of any value the county may have provided. This value will be populated ONLY if the DL number provided was unable to be matched with the HAVA criteria.  For all cases a suggested DL number will only be provided if exactly ONE result is returned.

## Table of Codes for Fields in Calvalidator Batch Files

**Table K-1**

### **MATCH METHOD CODE DESCRIPTIONS**

Used in Calvalidator Batch File Record Field Number 13

<b>Match Method</b>	<b>Match Method Description</b>
EXACT	Single exact match found
MULTIPLE	Multiple DMV matches found
SSA_MULT	Multiple live SSN4 matches found
DEAD	No live SSN4 match found (all dead)
NO_MATCH	No match found
INVALID	Invalid or insufficient data to start a search
SYSTEM_ERR	Unable to complete a started search