

7. SSN4: Used to search on the last 4 digits of a voter's social security number. This field accepts a wildcard character in any position.
8. Birth Date: Used to search on a voter's date of birth. The input for this field is broken down into individual inputs for month, day, and year. This field accepts a wildcard character in place of a valid month, a wildcard in place of a valid day, or a wildcard in any position of the year segment.
9. UID: Used to search on a voter's HAVA-compliant unique identifier. This field accepts a wildcard character in any position.
10. Registration Date: Used to search on a voter's date of registration. The input for this field is broken down into individual inputs for month, day, and year. This field accepts a wildcard character in place of a valid month, a wildcard in place of a valid day, or a wildcard in any position of the year segment.
11. Registration Status: This field is used as a post-search filter. By default, a search includes search results for voters with any registration status. When any status is selected from this field, voters holding a registration status other than those selected are removed from the search results and not displayed to the user. This field accepts multiple selections.
12. Place of Birth: This field is used as a post-search filter. By default, a search includes search results for voters with any place of birth. When any place of birth is selected from this field, voters with a place of birth other than those selected are removed from the search results and not displayed to the user. This field accepts multiple selections.
13. Political Party: This field is used as a post-search filter. By default, a search includes search results for voters with any political party. When any political party is selected from this field, voters registered with a political party other than those selected are removed from the search results and not displayed to the user. This field accepts multiple selections.
14. Residence Street Number: Used to search on the street number of a voter's residence address. This field accepts a wildcard character in any position.
15. Residence Street Name: Used to search on the street name of a voter's residence address. This field accepts a wildcard character in any position.
16. Residence Street Type: Used to search on the street type of a voter's residence address. A single value may be selected from a predetermined list of values for this field.
17. Residence City: Used to search on the city of a voter's residence address. This field accepts a wildcard character in any position.
18. Residence Zip: Used to search on the zip code (first 5 digits) of a voter's residence address. This field accepts a wildcard character in any position. Any other value provided must be numeric.
19. Residence County: This field is used as a post-search filter. By default, a search includes search results for voters from any county. When any county is selected from this field, voters residing in a county other than those selected are removed from the search results and not displayed to the user. This field accepts multiple selections.
20. Precinct: Used to search on a voter's home precinct. This field accepts a wildcard character in any position.
21. Political District: Used to search on a voter's political district. This field accepts a wildcard character in any position.
22. Mailing PO Box: Used to search on the P.O. Box of a voter's mailing address. This field accepts a wildcard character in any position.
23. Mailing Street Number: Used to search on the street number of a voter's mailing address. This field accepts a wildcard character in any position.
24. Mailing Street Name: Used to search on the street name of a voter's mailing address. This field accepts a wildcard character in any position.
25. Mailing Street Type: Used to search on the street type of a voter's mailing address. A single value may be selected from a predetermined list of values for this field.
26. Mailing City: Used to search on the city of a voter's mailing address. This field accepts a wildcard character in any position.
27. Mailing Zip: Used to search on the zip code (first 5 digits) of a voter's mailing address. This field accepts a wildcard character in any position. Any other value provided must be numeric.

Actions:

28. Go: This action item executes a search with the parameters provided. Upon completion, the results will be displayed in the search results grid (item 31). The search is executed with an AJAX call and only the results portion of the page is re-loaded upon execution.
29. Clear: This action clears the contents of all of the search fields.
30. Print Preview: This action opens a print-friendly version of this page.

Search Results:

31. Results: The results of an executed search are displayed here. By default, the search results are sorted in descending order on the Confidence column, however, each column is sortable. When a column is sorted, an indicator of the actively sorted column and direction is provided. When a sort command is issued on the actively sorted column by clicking on the column header, the sort direction is reversed on that column. The Last Name column of the result grid provides a link to the Voter Detail screen for the voter represented in each row.
32. Paging: When more search results are returned than fit on the current page, the paging control allows the user to scroll through the additional pages of results.