

WSDL for DMV Validation

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:s="http://www.w3.org/2001/XMLSchema"
xmlns:soap
ng/"
xmlns:tns="
xmlns:tm="
targetNamespace="
s:mime="http://schemas.xmlsoap.org/wsdl/mime/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <s:schema elementFormDefault="qualified" targetNamespace=">
      <s:element name="Validate">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="transactionCode" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="driversLicenseNum" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="firstName" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="lastName" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="birthDate" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="SSN" type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="assignedId" type="s:string" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="ValidateResponse">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="havaConfirmedValue" type="tns:HavaConfirmedValue"
/>
            <s:element minOccurs="1" maxOccurs="1" name="matchMethod" type="tns:MatchMethod" />
            <s:element minOccurs="0" maxOccurs="1" name="suggestedDLN" type="s:string" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:simpleType name="HavaConfirmedValue">
        <s:restriction base="s:string">
          <s:enumeration value="Y" />
          <s:enumeration value="N" />
        </s:restriction>
      </s:simpleType>
      <s:simpleType name="MatchMethod">
        <s:restriction base="s:string">
```

WSDL for DMV Validation

```
<s:enumeration value="EXACT" />
<s:enumeration value="SMART" />
<s:enumeration value="SOUNDS" />
<s:enumeration value="MULTIPLE" />
<s:enumeration value="NO_MATCH" />
<s:enumeration value="DEAD" />
<s:enumeration value="INVALID" />
<s:enumeration value="SSA_MULT" />
<s:enumeration value="SYSTEM_ERROR" />
<s:enumeration value="BAD_LOGIN" />
</s:restriction>
</s:simpleType>
<s:element name="AuthHeader" type="tns:AuthHeader" />
<s:complexType name="AuthHeader">
  <s:sequence>
    <s:element minOccurs="0" maxOccurs="1" name="Username" type="s:string" />
    <s:element minOccurs="0" maxOccurs="1" name="Password" type="s:string" />
  </s:sequence>
</s:complexType>
</s:schema>
</wsdl:types>
<wsdl:message name="ValidateSoapIn">
  <wsdl:part name="parameters" element="tns:Validate" />
</wsdl:message>
<wsdl:message name="ValidateSoapOut">
  <wsdl:part name="parameters" element="tns:ValidateResponse" />
</wsdl:message>
<wsdl:message name="ValidateAuthHeader">
  <wsdl:part name="AuthHeader" element="tns:AuthHeader" />
</wsdl:message>
<wsdl:portType name="DLValidatorSoap">
  <wsdl:operation name="Validate">
    <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">This method requires a custom soap header set
by the caller</documentation>
    <wsdl:input message="tns:ValidateSoapIn" />
    <wsdl:output message="tns:ValidateSoapOut" />
  </wsdl:operation>
</wsdl:portType>
<wsdl:binding name="DLValidatorSoap" type="tns:DLValidatorSoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document" />
```

WSDL for DMV Validation

```
<wsdl:operation name="Validat
  <soap:operation soapAction=[REDACTED] style="document" />
  <wsdl:input>
    <soap:body use="literal" />
    <soap:header message="tns:ValidateAuthHeader" part="AuthHeader" use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
<wsdl:service name="DLValidator">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/" />
  <wsdl:port name="DLValidat
    <soap:address location="[REDACTED]" />
  </wsdl:port>
</wsdl:service>
</wsdl:definitions>
```