

How to Survey Polling Places for Acce	ssibility	/ Manı	uaN#120	Dimension 024 BALEDAGH)LLC	Modifications/ Notes
+ " (= 16 ! ] b WN U k ] KNUMFmYg ž h \ YdfUYg gglob U WYYSgb W\ ` V m* S  b W c Yf gH] "b h Y f g Y d ` U WYY 2Ksc fhY\ U&LS 25 Y Y h U d U ffl KG 3Y Y] [ i f Y Ł	Yg Wh]	c b	æ	K ] Xh \ . @Yb[h\ . H! = bhYfgYW	h]cbg.
, "h≡√ZYUFfYYjYf \cYWgXhUW `ckhYYfUbSjbWUWoghYY Z`dUchfchb\[fYcibUfMb€\Yf WUbY!XYhWYUWMfb]bYY`fYg dfYjgYdbahYcZbfYdkaU`_] ibXYfbYUh\3	Y			< Y] [ \ h.	
- " 8Uc`c`V^ YaWohigb ku YakxU`` Zfo&a+]bWh Yig\$]bW\Yig\$ dfchfjibx Woo YigYigb hoc fci Ma Yibb XU fUdYYifga]h hodfch Dai WXIY]aci Za%#8 ]bW\Yg"Ł	Y n h Y	X		Dfchf <b>X</b> Ygdlka bo	<b>h</b> .
% \$ " 18 ic `V ^ YaWahigb ka YaWa``` Zfo&a+] bWhYeg3  bW\Yg dfch%%LYbWWcYfgYgghn fcihY3	\			Dfchf <b>XYgdk</b> bb 6chhYcXa[\YY][	<b>h</b> .

## **Passing Space and T Intersections**



Passing space is required every 200 feet and must be provided as a 60° by 60° minimum space or as T-shaped space where each stem is at least 48° long.





60" Minimum by 60" Minimum Passing Space

T-Shaped Passing Space

## Modifying measures needed at this site on Election Day:

Non-slip mats needed# of Mats needed	
Cones or other detectable barriers needed  Cones or other detectable barriers needed	
Threshold ramps needed for small change in levelRamps needed	
Relocate movable objects out of accessible route	
Other	

Comments: